



Security Tech Germany




MOBILE SECURITY

CATALOGUE

MOTORBIKE AND SCOOTER LOCKS

Advantages of the new catalogue

- Find products quicker and more easily
- Product features instantly visible



Learn more inside!

Pictograms



New product

Locks



Double locking

Dual locking of the shackle in the lock body



Pocket size

Lock in small format



XL size

Lock in large format



Manual locking

Active locking with a key required



Automatic locking

No active locking with a key required



Robust webbing

High-tech mesh, durable and hydrophobic



Combo

Combination code is factory set



Individual code

Combination code can be freely selected



Rechargeable

Rechargeable battery



Battery

Including battery



Bordo 8-bars

Folding lock with 8 bars offers even more flexibility due to greater length



SmartX

Innovative locking system, controlled via smartphone



XPlus

Picking-resistant disc cylinder „XPlus“



Plus

Picking-resistant disc cylinder „Plus“



Lightweight

Lightweight lock



Alarm

Lock with 100 dB alarm function



One Key Option

Multiple locks can be produced keyed alike and thus operated with one key

Content

ABUS Made in Germany	Page 4
Approvals	Page 5
Key service	Page 6
One Key	Page 8
The ABUS level system	Page 10
GRANIT™	Page 11
ABUS Motorbike Lock Guide	Page 12
ABUS Brake Disc Lock Finder	Page 12

Locks

U-Shackle Locks	Page 14
Lock-Chain Combinations	Page 20
Steel-0-Flex Locks	Page 36
Alarm Brake Disc Locks	Page 40
Brake Disc Locks	Page 48
Garage security and accessories	Page 62
Special Security Items	Page 76
Padlocks and Chains	Page 88
Brackets	Page 94



ABUS - Made in Germany

When August Bremicker and his sons founded ABUS in 1924, they had a lot of experience with craftsmanship – and a clear vision: They wanted to create products that protected human life and property. It was a far-sighted corporate guideline – paired with an expectation for quality right from the start. It was the start of a continuous success story. The ABUS brand became a synonym for security.

High-quality materials

To be able to offer consistently high quality and security, we use high-quality materials at every price level. Complex hardening processes guarantee the best attack resistance in our materials. Our internal quality management processes all materials before and during the production process and ensures that every product has the high quality you expect.

The key to success

At ABUS, we produce and build many of our machines ourselves and all the tools we use in the production of our security products in-house. That bundles know-how, guarantees jobs, and strengthens identification. Our own engineering and toolmaking department concentrates exclusively on the development of bicycle and motorcycle locks.


This ensures that we meet the tough requirements you place on your bicycle or motorcycle lock every day.

Ensuring continuity

In our own ABUS test laboratory, we routinely carry out tests and attacks on our products to ensure that we offer consistently high quality.

Among others we make sure our locks are resistant to:

- Ice spray attacks and freezing conditions thanks to a -40°C chamber
- Twisting, pulling, hammering and sawing attacks with help of our manual or mechanical tests
- Rust by simulating highly corrosive weather conditions



Approvals

ABUS locks are tested and acknowledged by independent, neutral test institutes in several European countries. The following test seals confirm the extraordinary security of the ABUS 2-Wheel locks:



Svenska Stöldskyddsföreningen
Stockholm, Sweden



Norges Forsikringsforbund
Oslo, Norway



Finanssiala
Helsinki, Finland



ART ANWB, RAI, TASS
Helmond, Netherlands



ABUS Seal for Ice Spray Test
Volmarstein, Germany



Test Seal VdS
Cologne, Germany



Sold Secure Motorbike



Key service



The ABUS key service allows you to order new keys for existing locks.

Just select the required blank, enter the desired coding and the key will be delivered within no time.

If no key number is available, please send us the remaining pattern key. We'll produce a replica of the key.



	<p>Additional ABUS XPlus Ref. No.: 24657</p>	<p>EAN-No.: 04003318246579</p>
	<p>Additional ABUS Plus Ref. No.: 06227</p>	<p>EAN-No.: 04003318062278</p>
	<p>ABUS - Voucher for Plus or XPlus Ref. No.: 04318</p>	<p>EAN-No.: 04003318043185</p>
	<p>ABUS - Voucher for ABUS other Ref. No.: 29001</p>	<p>EAN-No.: 04003318290015</p>




One Key Simple. Individual.

Have custom bike locks made - operate everything with just one key!

Here's how it works

A lock for connecting, a frame lock, a padlock, and even a battery lock for e-bikes - if you want to secure your bike properly, you need a lot of locks. That is why we at ABUS, with the One Key system, offer the ability to produce locks for your customers in such a way that they can all be operated with one key. No mess, no looking for keys.



1. Read key code from code card



2. Choose suitable products at your retailer

How One Key works

It's quite simple. Each ABUS lock has an individual key code with which spare keys or matching "keyed alike" locks can be made - even years after purchase. All that matters is that the locks from ABUS have the same type of cylinder installed.



3. 1 week to manufacture your custom product



4. Pick up at retailer or ship to home



Familiar face – New design

As a manufacturer of cylinders and bicycle locks, ABUS has the unique opportunity on the market to manufacture custom locks so that they can all be operated with one key – or “keyed alike”. It is important that the locks be compatible with each other for this purpose.

So far we have marked our products and campaigns with these icons:



With YourPlus™, we have combined all locks that have a Plus cylinder.

This icon currently indicates that this lock can be keyed alike.

From now on, we're bringing everything together under One Key – a clear promise for more convenience.

Overview of keyed alike products

Products with XPlus cylinder

U-SHACKLE LOCKS

GRANIT™ Extreme 59
GRANIT™ Power 58
GRANIT™ Super Extreme 2500
GRANIT XPlus™ 540

LOCK-CHAIN COMBINATIONS

GRANIT™ Extreme Plus 59
GRANIT™ Detecto XPlus 8008
GRANIT™ Detecto XPlus 8077
GRANIT™ 58 12KS Black Loop
1190 XPlus
GRANIT™ Power XS 67

BRAKE DISC LOCKS

GRANIT™ Sledg 77
GRANIT™ Victory XPlus 68

FOLDING LOCKS

BORDO™ 6000K
BORDO™ 6000KA
BORDO GRANIT XPlus™ 6500K
BORDO GRANIT XPlus™ 6500KA

CHAIN LOCKS

GRANIT City Chain XPlus™ 1060

FRAME LOCKS

PRO SHIELD™ XPlus 5955
SHIELD™ XPlus 5755L

Products with Plus cylinder

U-SHACKLE LOCKS

GRANIT™ Plus 640
GRANIT™ Plus 470

STEEL-O-FLEX LOCKS

Steel-0-Flex™ 950

BRAKE DISC LOCKS

GRANIT™ Quick 37/60 Maxi + Mini
GRANIT™ Quick 37/60

SPECIAL SECURITY ITEMS

Snowmobil 37/55

PADLOCKS AND CHAINS


GRANIT™ 37/60
GRANIT™ 37RK/80
GRANIT™ 37/55 S&S
GRANIT™ 37/55

CHAIN LOCKS

CityChain™ 1010
Steel-0-Chain™ 9809
Steel-0-Chain™ 9808

LOCK-CHAIN COMBINATIONS

GRANIT™ power Chain 37 14KS Black Loop
1190 2.0



The ABUS level system

The ABUS level system

Clear, consistent, simple.

The packaging of a security product influences the buying decision of your customers!

As part of our packaging concept, which is characterised by a clear, steady and modern presentation of our product range, you and your customers also benefit from a level system, which provides information on the security ranking of our products.

The ABUS level system is transparent and simplified system that represents exclusively the level of security of the locks. The level system – pictured as a speedometer – reaches level 15 for bicycle locks and level 20 for motorbike locks.

With the level system, a better understanding for the customer is achieved and conveys, already at the first glance, one of the key considerations when buying a security product: the level of security.

The result: a modern appearance at the point of sale, which promotes your sale actively!



Maximum Security
Level: 10-20



Extra Security
Level: 5-9



Standard Security
Level: 1-4

Alarm

More and more ABUS locks are equipped with an alarm of approx. 100 dB to rout out bicycle thieves effectively. The addition „Alarm“ on the level system shows that a lock has this feature.



Standard Security
with Alarm

GRANIT™

GRANIT™ Tough Security.

MADE IN
GERMANY



Best security has a name: Granit.

The Granit locks are known to be made with the best materials, the best technology and many patents.

- 1 ABUS XPlus cylinder: The ultimate resistance against intelligent opening methods e.g. picking
- 2 Power Cell Technology makes pulling and breaking forces spread through the whole lock, using the resistance of the complete lock
- 3 Square shackles force the thief to cut the shackle twice as it can not be twisted open
- 4 The parabolic shaped shackle generates at least two contact points with every object being used to pull on the shackle – this reduces the breaking force coming on one point
- 5 A special steel alloy and a particular hardening process make the shackle hard, resisting sawing attacks, but still flexible enough to withstand torsion attacks
- 6 Power Link Technology means direct locking of the chain end link into the highly resistant locking mechanism
- 7 High quality chain produced according to special ABUS specifications



ABUS Motorbike Lock Guide

Motorbike Guide: A special service.

The ABUS "Motorbike Guide" gives you the interactive possibility to look for the lock that fits your bike.

All information are without obligation and subject to technical modifications to the motorbikes and/or the locks. The information is a recommendation only!



ABUS Brake Disc Lock Finder

Find the right brake disc lock – quick and easy

ABUS has a gadget for all motorbike- and scooter owners, which helps to find the perfect brake disc lock. This finder includes templates with the measurements of the bolts of all ABUS brake disc lock and reveals quick and easy, whether a brake disc lock fits a two-wheeler or not.



TIP:

Your customers can easily find out at home which ABUS brake disc lock fits their two-wheelers: Just go to www.abus.com to the favored lock, click on „Downloads“, download the template, print, cut out and see if the lock fits the disc!



U-Shackle Locks





59
Page 16



58
Page 17



★ 2500
Page 18



540
Page 19

GRANIT™ EXTREME 59

SECURITY LEVEL




FEATURES



X Plus™



SH 59



TECHNICAL DATA

- 16 mm square parabolic shackle
- Double-locking mechanism securing the shackle in the lock body
- The shackle, the lock body and the structural parts of the locking mechanism are manufactured using specially hardened steel
- ABUS XPlus cylinder for exceptionally high protection against manipulation attempts such as picking
- Two keys are included in the scope of delivery
- Manual cover to protect the keyhole from dirt and corrosion
- ABUS Code Card for additional and replacement keys

TECHNOLOGY



TEST SEALS



Ref. No.	EAN 4003318	mm	mm	mm	Weight g	Box Qty	RRP incl. VAT €
59/180HB310	58608 8	310	111	19	3060	1	229,95
59/180HB260	58607 1	260	111	19	2700	1	209,95
59/180HB245	58606 4	245	111	19	2600	1	199,95
SH59	23763 8				420	2	29,95

GRANIT™ POWER 58

SECURITY LEVEL



FEATURES



TECHNICAL DATA

- 16 mm round shackle (18 mm with coating)
- Double-locking mechanism securing the shackle in the lock body
- The shackle, the lock body and the structural parts of the locking mechanism are manufactured using specially hardened steel
- ABUS XPlus cylinder for exceptionally high protection against manipulation attempts such as picking
- Two keys are included in the scope of delivery
- Manual cover to protect the keyhole from dirt and corrosion
- ABUS Code Card for additional and replacement keys

TECHNOLOGY



TEST SEALS



1) class C

Ref. No.	EAN 4003318	mm	mm	mm	Weight g	Box Qty	RRP incl. VAT €
58/140HBIII310	32865 7	309	84	18	2400	2	219,95
58/140HBIII260	32864 0	259	84	18	2250	2	199,95
58/140HBIII100	32863 3	100	84	18	1740	5	149,95
SH58	05810 3				400	3	34,95

GRANIT™ SUPER EXTREME 2500

★
NEW



FEATURES



TECHNICAL DATA

- Hardened 27 mm square parabolic shackle with plastic coating
- The lock shackle and body are better protected against brutal saw attacks with cordless angle grinders thanks to a special tungsten carbide material compound
- Double locking of the shackle in the lock body
- The shackle, housing and structural parts of the locking mechanism are made of specially hardened steel
- ABUS XPlus™ cylinder for extremely high protection against manipulation, e.g. picking
- ABUS Power Cell technology offers maximum protection against impacts and attempts to break open the lock
- Two keys included in the scope of delivery
- ABUS Code Card for spare and replacement keys

TECHNOLOGY



TEST SEALS



Ref. No.	EAN 4003318	mm	mm	mm	Weight g	Box Qty	RRP incl. VAT €
2500/165HB230	99680 1	230	102	27	2510	1	299,95

GRANIT™ XPLUS™ 540

SECURITY LEVEL



FEATURES



TECHNICAL DATA




- 13 mm square parabolic shackle (16 mm with coating)
- Double-locking mechanism securing the shackle in the lock body
- ABUS (patented) Power Cell technology offers the highest protection against hitting and pulling attacks
- The shackle, the lock body and the structural parts of the locking mechanism are manufactured using specially hardened steel
- ABUS XPlus cylinder for exceptionally high levels of protection against manipulation attempts such as picking
- Two keys are included in the scope of delivery
- Automatic cover to protect the keyhole from contamination and corrosion
- ABUS Code Card for additional and replacement keys

TECHNOLOGY



TEST SEALS



Ref. No.	EAN 4003318	 mm	 mm	 mm	Weight g	Box Qty	RRP incl. VAT €
540/160HB230	18893 0	229	108	16	1450	6	119,95
540/160HB300	18894 7	299	108	16	1656	6	124,95

Lock-Chain Combinations





59 EXTREME
Page 22



8008 12KS
Page 24



1060
Page 31



37/80 14KS
Page 23



8077 12KS
Page 25



9210
Page 32



58/100 12KS
Page 26



1010
Page 33



68 12KS
Page 27



9809K
Page 34



1190 XPlus
Page 28



9808K
Page 34



67 12KS/10KS
Page 29 - 30



IVEN 8210
Page 35

GRANIT™ EXTREME XPLUS™ 59

SECURITY LEVEL



FEATURES



VERSIONS



TECHNICAL DATA

- 12 mm hexagonal chain with textile sleeve to protect against damage to the paintwork
- ABUS Power Link technology (patented) allows for a direct and protected connection from the chain to the locking mechanism
- The chain, the housing and the structural parts of the locking mechanism are manufactured from specially hardened steel
- ABUS XPlus Cylinder for extremely high protection against manipulation such as picking
- Two keys included in the scope of delivery
- Manually operated keyhole cover to protect against dirt and corrosion
- ABUS Code Card for duplicate and replacement keys

TECHNOLOGY



TEST SEALS



1) class C

Ref. No.	EAN 4003318	⌀ ↑ mm	●—● cm	Weight g	Carrier	Box Qty	RRP incl. VAT €
59/12HKS110	56558 8	12	110	3900		1	239,95
59/12HKS140	56559 5	12	140	4700		1	259,95
59/12HKS170	56560 1	12	170	5700		1	279,95
ST 1010	23207 7			172	transport bag 160 mm / 250 mm / 50 mm	1	15,95

GRANIT™ POWER CHAIN 37 14KS BLACK LOOP

SECURITY LEVEL



FEATURES



Lock-Chain
Combinations

TECHNICAL DATA

- 14 mm strong (loop) chain with fabric sleeve to prevent damage to paintwork
- Double bolted 14 mm shackle in the lock body
- Cylinder inserted into the padlock from the top for optimum drill and pull resistance
- Shackle guard protects against attacks with tools
- Black Granit coating provides optimum corrosion resistance for the lock body and shackle
- The chain, the lock body and supporting elements of the locking mechanism are made of specially hardened steel
- ABUS Plus cylinder for maximum protection against attempted manipulation, e.g. picking
- Two keys are included in the scope of delivery
- ABUS Code Card for additional and replacement keys

TECHNOLOGY



TEST SEALS



Ref. No.	EAN 4003318	mm	cm	mm	mm	mm	Weight g	Carrier	Box Qty	RRP incl. VAT €
37RK/80 14KS 120 black loop	52285 7	14	120	22	22	14	7052		1	279,95

GRANIT™ DETECTO XPLUS 8008 12KS BLACK LOOP

SECURITY LEVEL



FEATURES



XPlus™



3D Position Detection



TECHNICAL DATA

- 12 mm strong loop chain with fabric sleeve to prevent damage to the motorbike's paintwork
- The chain, the 16 mm bolt, the lock body as well as supporting elements of the locking mechanism are made of special hardened steel
- Alarm function on basis of the ABUS 3D detection system that means, that every movement is detected
- Alarm at a volume of at least 100 dB for 15 seconds, followed by automatic reactivation
- Lock can be transported in locked condition without activated detection system thanks to automatic brake disc recognition system
- Different acoustic signals inform about battery- and activation status
- ABUS XPlus cylinder for highest protection against manipulations, e.g. picking
- Two keys are supplied with the lock
- ABUS Code Card for additional or replacement keys
- One CR2 Battery for the alarm function is included

TECHNOLOGY



TEST SEALS



1) applicable for lock only

Ref. No.	EAN 4003318	mm	cm	mm	mm	Weight g	Carrier	Box Qty	RRP incl. VAT €
8008/12KS120 black loop	76699 2	12	120	16	60	5100		1	279,95

GRANIT™ DETECTO XPLUS 8077 YELLOW 12KS BLACK LOOP

SECURITY LEVEL



FEATURES



XPlus™



3D Position Detection



TECHNICAL DATA

- 12 mm chain (loop) with textile sleeve to protect against damage to the paintwork
- The chain, the 13.5 mm bolt, the housing and the structural parts of the locking mechanism are manufactured from specially hardened steel
- 3D Position Detection – detects vibrations and the smallest movements
- Alarm at a volume of at least 100 dB for 15 seconds, followed by automatic reactivation
- The lock can be transported in a closed position without activating the alarm
- Acoustic and optical signals (multi-coloured LED) display the battery and activity status
- ABUS XPlus Cylinder for extremely high protection against manipulation such as picking
- Two keys included in the scope of delivery
- ABUS Code Card for duplicate and replacement keys
- Two standard AAA batteries to supply the electronic unit are included in the scope of delivery

TECHNOLOGY



TEST SEALS



1) applicable for lock only

Ref. No.	EAN 4003318	mm	cm	mm	mm	Weight g	Carrier	Box Qty	RRP incl. VAT €
8077 yellow 12KS120 black loop	19005 6	12	120	13,5	45	5200		1	259,95

GRANIT™ 58 12KS BLACK LOOP

SECURITY LEVEL



FEATURES



TECHNICAL DATA

- 12 mm chain with textile sleeve to prevent damage to the paintwork
- 16 mm round shackle (18 mm with coating)
- The chain, the shackle, the lock body and the structural parts of the locking mechanism are manufactured using specially hardened steel
- ABUS XPlus cylinder for incredible protection against manipulation, e.g. picking
- Two keys are included in the scope of delivery
- Manual cover for the keyhole to protect against dirt and corrosion
- ABUS Code Card for additional or replacement keys

TECHNOLOGY



TEST SEALS



1) class C

Ref. No.	EAN	⌀	●—○	⤴	⤵	⤴	Weight g	Carrier	Box Qty	RRP incl. VAT €
	4003318	mm	cm	mm	mm	mm				
58/140HBIII100 12KS1 20 black loop	32870 1	12	120	100	84	18	4500		1	209,95

GRANIT™ 68 VICTORY 12KS BLACK LOOP

SECURITY LEVEL



FEATURES



Lock-Chain
Combinations

TECHNICAL DATA

- 12 mm chain with textile sleeve to prevent damage to the paintwork
- 14 mm locking bolt
- The chain, the locking bolt, the lock body and the structural parts of the locking mechanism are manufactured using specially hardened steel
- ABUS XPlus cylinder for incredible protection against manipulation, e.g. picking
- Two keys are included in the scope of delivery
- ABUS Code Card for additional or replacement keys

TECHNOLOGY



TEST SEALS



1) class C

Ref. No.	EAN 4003318	cm	mm	mm	Weight g	Carrier	Box Qty	RRP incl. VAT €
68/12KS 120 black loop	44743 3	120	12	14, 35/64	4500		1	169,95

1190 XPLUS™

SECURITY LEVEL



FEATURES



TECHNICAL DATA

- 11 mm square chain with fabric sleeve to prevent damage to the motor-bike's paintwork
- The chain, the lock body as well as supporting elements of the locking mechanism are made of special hardened steel
- ABUS XPlus™cylinder for high protection against manipulations, e.g. picking
- ABUS Code Card for additional and replacement keys
- With innovative locking mechanism: light weight, single piece chain lock
- Two keys are supplied with the lock

TECHNOLOGY



TEST SEALS



1) class C

Ref. No.	EAN 4003318	mm	cm	Weight g	Carrier	Box Qty	RRP incl. VAT €
1190/120 BK XPlus™	96663 7	11	120	3700		2	159,95
1190/150 BK XPlus™	96664 4	11	150	4100		2	174,95

GRANIT™ POWER XS 67 12KS BLACK LOOP

SECURITY LEVEL



FEATURES



TECHNICAL DATA

- Solid 12 mm chain with textile sheath to prevent damage to paintwork
- 14 mm shackle (17 mm with sheath)
- Double-locking mechanism securing the shackle in the lock body
- The chain, the lock shackle, the lock body and supporting parts of the locking mechanism are made of specially hardened steel
- A soft silicone case prevents scratches
- ABUS XPlus cylinder for the highest level of protection against tampering, e.g. picking
- Two keys are included in the scope of delivery
- ABUS Code Card for additional and replacement keys

TECHNOLOGY



TEST SEALS



Ref. No.	EAN	⌀	●○○	⌒	⌒	⌒	Weight g	Carrier	Box Qty	RRP incl. VAT €
	4003318	mm	cm	mm	mm	mm				
67/105HB50 yellow 12KS120 black loop	58241 7	12	120	48	41	17	4450		1	159,95
ST 1010	23207 7						172	transport bag 160 mm / 250 mm / 50 mm	1	15,95

GRANIT™ POWER XS 67 10KS BLACK LOOP

SECURITY LEVEL



FEATURES



TECHNICAL DATA

- Solid 10 mm chain with textile sheath to prevent damage to paintwork
- 14 mm shackle (17 mm with sheath)
- Double-locking mechanism securing the shackle in the lock body
- The chain, the lock shackle, the lock body and supporting parts of the locking mechanism are made of specially hardened steel
- A soft silicone case prevents scratches
- ABUS XPlus cylinder for the highest level of protection against tampering, e.g. picking
- Two keys are included in the scope of delivery
- ABUS Code Card for additional and replacement keys

TECHNOLOGY



TEST SEALS



1) applicable for lock only

Ref. No.	EAN 4003318	mm	cm	mm	mm	mm	Weight g	Carrier	Box Qty	RRP incl. VAT €
67/105HB50 red 10KS120 black loop	59715 2	10	120	48	41	17	3350		1	149,95
ST 1010	23207 7						172	transport bag 160 mm / 250 mm / 50 mm	1	15,95

GRANIT CITYCHAIN XPLUS™ 1060

SECURITY LEVEL



FEATURES



VERSIONS



Lock-Chain
Combinations

TECHNICAL DATA

- 10 mm hexagonal chain with textile sleeve to protect against damage to the paintwork
- ABUS (patented) Power Cell technology offers the highest protection against hitting and pulling attacks
- ABUS Power Link technology (patented) allows for a direct connection from the chain to the Power Cell
- Interwoven coating of the lock body to protect against brutal methods of attack
- The chain, the lock body and supporting elements of the locking mechanism are made of specially hardened steel
- ABUS XPlus cylinder for the highest level of protection against tampering, e.g. picking
- Two keys are included in the scope of delivery
- Cover to protect the keyhole from contamination
- ABUS Code Card for additional and replacement keys

TECHNOLOGY



TEST SEALS



Ref. No.	EAN 4003318	⌀ mm	●●● cm	Weight g	Carrier	Box Qty	RRP incl. VAT €
1060/110 black	18895 4	10	110	2650		2	189,95
1060/140 black	18896 1	10	140	3260		2	199,95
1060/170 black	18897 8	10	170	3750		2	209,95
ST 1010	23207 7			172	transport bag 160 mm / 250 mm / 50 mm	1	15,95

IVY CHAIN 9210

SECURITY LEVEL



FEATURES



ST 1010



TECHNICAL DATA



- 10 mm square chain with new functional, durable and highly flexible synthetic fibre sleeve prevents damage to paintwork
- The chain, the lock body and supporting elements of the locking mechanism are made of specially hardened steel
- Ergonomically-shaped lock body
- Comes with a user-friendly reversible key

TECHNOLOGY



TEST SEALS



Ref. No.	EAN 4003318	 mm	 cm	Weight g	Carrier	Box Qty	RRP incl. VAT €
9210/110 black Moto	88989 9	10	110	3000		2	119,95
9210/140 black Moto	88990 5	10	140	3650		1	129,95
9210/170 black Moto	88991 2	10	170	4400		1	139,95
ST 1010	23207 7			172	transport bag 160 mm / 250 mm / 50 mm	1	15,95

CITYCHAIN™ 1010

SECURITY LEVEL



FEATURES



Plus

ST 1010



TECHNICAL DATA

- 9 mm hexagonal chain with fabric sleeve to prevent damage to the bicycle's paintwork
- The chain, the lock body and supporting elements of the locking mechanism are made of specially hardened steel
- ABUS Plus cylinder for high protection against manipulations, e.g. picking
- Automatic cover for the keyhole against dirt and corrosion

TECHNOLOGY



TEST SEALS



1) class B

Ref. No.	EAN 4003318	⌀ mm	●—● cm	Weight g	Carrier	Box Qty	RRP incl. VAT €
1010/110 black Moto	18898 5	9	110	2400		2	129,95
1010/140 black Moto	18899 2	9	140	2740		2	139,95
1010/170 black Moto	18900 5	9	170	3200		2	149,95
ST 1010	23207 7			172	transport bag 160 mm / 250 mm / 50 mm	1	15,95

STEEL-O-CHAIN™ 9809K

FEATURES



XPlus™



TECHNICAL DATA

- 9 mm thick square chain
- The chain, housing and structural parts of the locking mechanism are made of specially hardened steel
- Automatic keyhole cover to prevent corrosion and the ingress of dirt
- ABUS XPlus cylinder for the greatest protection against manipulation such as picking
- Two keys included

TECHNOLOGY



TEST SEALS



SECURITY LEVEL



Ref. No.	EAN 4003318	mm	cm	Weight g	Box Qty	RRP incl. VAT €
9809K/85 black	95548 8	9	85	2094	2	109,95
9809K/110 black	95549 5	9	110	2524	2	119,95
9809K/140 black	95550 1	9	140	3088	2	129,95
9809K/170 black	95551 8	9	170	3690	6	139,95

STEEL-O-CHAIN™ 9808K

FEATURES



XPlus™



TECHNICAL DATA

- 8 mm square chain
- The chain, housing and structural parts of the locking mechanism are made of specially hardened steel
- Automatic keyhole cover to prevent corrosion and the ingress of dirt
- ABUS XPlus cylinder for the greatest protection against manipulation such as picking
- Two keys included

TECHNOLOGY



TEST SEALS



SECURITY LEVEL



Ref. No.	EAN 4003318	mm	cm	Weight g	Box Qty	RRP incl. VAT €
9808K/85 black	95562 4	8	85	1782	2	99,95
9808K/110 black	95564 8	8	110	2102	6	109,95
9808K/140 black	95565 5	8	140	2596	2	119,95
9808K/170 black	95566 2	8	170	2988	2	129,95

STEEL- O- CHAIN™ IVEN 8210

SECURITY LEVEL



FEATURES



ST 1010



TECHNICAL DATA



- 8 mm square chain with functional, durable and highly flexible synthetic fibre sleeve which prevents damage to paintwork
- The sleeve offers very high protection against abrasion and does not absorb liquids, e.g. water or oil
- The chain, the housing and the structural parts of the locking mechanism are manufactured from specially hardened steel
- High-quality locking cylinder with user-friendly reversible key for maximum protection against tampering, e.g. lock-picking
- Two keys included in the scope of delivery

TECHNOLOGY



TEST SEALS



Ref. No.	EAN 4003318	 mm	 cm	Weight g	Carrier	Box Qty	RRP incl. VAT €
8210/110 black Moto	18906 7	8	110	2497		2	84,95
ST 1010	23207 7			172	transport bag 160 mm / 250 mm / 50 mm	1	15,95

Steel-0-Flex locks





950
Page 38



IVEN 8200
Page 39

STEEL- O- FLEX™ 950

SECURITY LEVEL



FEATURES



TECHNICAL DATA

- Overlapping steel sleeves with a diameter of 25 mm protect the steel cable inside
- PVC casing to prevent damage to paintwork
- The steel sleeves and the structural parts of the locking mechanism are manufactured using specially hardened steel
- ABUS Plus cylinder for maximum protection against attempted manipulation, e.g. picking
- Two keys included in the scope of delivery
- Manual cover to protect the keyhole from dirt and corrosion
- ABUS Code Card for additional or replacement keys

TECHNOLOGY



TEST SEALS



Ref. No.	EAN 4003318	mm	cm	Weight g	Carrier	Box Qty	RRP incl. VAT €
950/100	25715 5	25	100	1540		2	79,95

STEEL-0-FLEX™ IVEN 8200



SECURITY LEVEL



FEATURES



Steel-0-Flex

TECHNICAL DATA



- 25 mm thick overlapping steel shells protect the inner steel cable
- The sleeve offers high protection against abrasion and doesn't absorb any liquids, e.g. water or oil
- The functional, durable and highly flexible mesh sleeve protects against damage to paintwork
- The shells, housing and the structural parts of the locking mechanism are made of specially hardened steel
- Ergonomic lock body with impact-resistant Soft Case Technology sleeve
- Premium-quality locking cylinder with easy-to-use reversible key for a high level of protection against tampering, e.g. picking
- Two keys are supplied with the lock

TECHNOLOGY



TEST SEALS



Ref. No.	EAN 4003318	 mm	 cm	Weight g	Carrier	Box Qty	RRP incl. VAT €
8200/85	55148 2	25	85	1340		2	59,95
8200/110	55149 9	25	110	1580		2	64,95

Alarm Brake Disc Locks





8008 Detecto 2.0
Page 42



★ 8078 2.0 Detecto One
Page 43



8077 Detecto
Page 44



7000 Detecto RS1
Page 45



277A
Page 46



275A
Page 47

GRANIT™ DETECTO XPLUS 8008 2.0

SECURITY LEVEL



FEATURES



XPlus™



12KS120 adapter chain



3D Position Detection



TECHNICAL DATA

- 16 mm steel bolt
- The bolt as well as supporting elements of the locking mechanism are made of special hardened steel
- Alarm of at least 100 dB
- Alarm function on basis of the ABUS 3D detection system that means, that every movement is detected
- Different acoustic signals inform about battery, activation and alarm status
- ABUS XPlus cylinder for highest protection against manipulations, e.g. picking
- Two keys are supplied with the lock
- Manually operated keyhole cover to protect against dirt and corrosion
- ABUS Code Card for additional or replacement keys
- Lock can be transported in locked condition without activated detection system thanks to automatic brake disc recognition system

TECHNOLOGY



TEST SEALS



1) class D

Ref. No.	EAN 4003318			Carrier	Weight g	Box Qty	RRP incl. VAT €
		mm	mm				
8008 Granit Detecto XPlus 2.0	79270 0	16	60		1200	1	219,95
Chain 12KS120 8008	76698 5				4120	1	99,95

GRANIT™ 8078 2.0 DETECTO ONE

NEW

SECURITY LEVEL



FEATURES



3D Position Detection



8078 Adaptor Chain



SmartX RC



Controlled by iOS- and Android Smartphones or using the Smart Remote (available separately)

VERSIONS



yellow



red

Alarm Brake Disc Locks

TECHNICAL DATA

- 13.5 mm locking bolt made of specially hardened steel
- Motorbike lock can be opened and locked without a key – keyless function based on proven ABUS SmartX™ Bluetooth® technology
- USB-C port
- Easy operation via the ABUS One app – for iOS™ and Android™
- Storage of the motorbike's last parking location
- Alarm function with at least 100 dB for 15 seconds, then automatic re-arming
- 3D position detection – detects vibrations and the smallest of movements in all three dimensions and triggers an alarm
- The bolt, housing and structural parts of the locking mechanism are made of specially hardened steel
- Thanks to its automatic brake disc detection system, the lock can be transported closed without the alarm being activated
- Acoustic and visual signals (multi-coloured LED) indicate the battery and activity status

TECHNOLOGY



TEST SEALS



1) class C

Ref. No.	EAN 4003318	mm	mm	Weight g	Carrier	Box Qty	RRP incl. VAT €
8078 2.0 Detecto One yellow B/SB	95840 3	13,5	48	990		9	249,95
8078 2.0 Detecto One blue B/SB	95834 2	13,5	48	990		9	249,95
8078 2.0 Detecto One red B/SB	95837 3	13,5	48	990		9	249,95
SmartX™ RC	64000 1			70		1	59,95
Chain 12KS120 8078	64217 3			4000		1	109,95

GRANIT™ DETECTO XPLUS 8077

SECURITY LEVEL



FEATURES



XPlus™



8077 Adaptor Chain



3D Position Detection



VERSIONS



green



orange



red



blue



black

TECHNICAL DATA

- The 13.5 mm locking bolt, body and structural parts of the locking mechanism are manufactured using specially hardened steel
- 3D position detection senses vibrations and the slightest of movements in all three dimensions and triggers the alarm
- Alarm function with at least 100 dB for 15 seconds followed by automatic reactivation
- With its automatic brake disc detection system, the lock can be transported closed without the alarm going off
- Acoustic and visual signals (multi-coloured LEDs) display the battery and activity status
- ABUS XPlus cylinder for exceptionally high protection against manipulation attempts such as picking
- Two keys are included in the scope of delivery,
- Two AAA standard batteries are included in the scope of delivery

TECHNOLOGY



TEST SEALS



1) class C

Ref. No.	EAN 4003318	mm	mm	Weight g	Carrier	Box Qty	RRP incl. VAT €
8077 Granit Detecto green	70441 3	13,5	48	940		1	169,95
8077 Granit Detecto yellow	19002 5	13,5	48	940		1	169,95
8077 Granit Detecto orange	04301 7	13,5	48	940		1	169,95
8077 Granit Detecto red	70440 6	13,5	48	940		1	169,95
8077 Granit Detecto black	55675 3	13,5	48	940		1	169,95
8077 Granit Detecto blue	71804 5	13,5	48	940		1	169,95
Chain 12KS120 8077	59472 4			3970		1	99,95

DETECTO 7000 RS1

SECURITY LEVEL



FEATURES



3D Position Detection



VERSIONS



flame black



logo orange



logo red



logo yellow

Alarm
Brake Disc Locks

TECHNICAL DATA



- 10x5 mm steel bolt
- The bolt, body and the structural parts of the locking mechanism are made of specially hardened steel
- Alarm function which emits a 100 dB noise for 15 seconds and then automatically re-arms itself
- 3D position detection – detects vibrations and the slightest movement in all three dimensions and triggers the alarm
- Acoustic and optical signal (LED, 3 colours) indicate battery status and active status
- Single-hand operation thanks to the patented “Snap’n Go” system – lock closes automatically when pressed on the brake disc
- ABUS Extra Classe cylinder with coded reversible key
- Two keys are included in the scope of delivery
- Automatic keyhole cover to protect against dirt and corrosion

TECHNOLOGY



TEST SEALS



Ref. No.	EAN 4003318	 mm	 mm	Weight g	Carrier	Box Qty	RRP incl. VAT €
7000 RS1 sonic red	04140 2	10x5	70	580		1	139,95
7000 RS1 flame black	04142 6	10x5	70	580		1	139,95
7000 RS1 logo orange	69066 2	10x5	70	580		1	139,95
7000 RS1 logo red	69064 8	10x5	70	580		1	139,95
7000 RS1 logo yellow	69065 5	10x5	70	580		1	139,95

277A

SECURITY LEVEL



VERSIONS



yellow





TECHNICAL DATA

- 10 mm locking bolt
- The bolt, body and the structural parts of the locking mechanism are made of specially hardened steel
- Alarm function based on a vibration detection system
- Alarm of at least 100 dB
- An acoustic signal indicates the activity status
- Three keys are included in the scope of delivery
- One CR2 standard battery to supply the electronic unit is included in the scope of delivery

TECHNOLOGY



Ref. No.	EAN 4003318	 mm	 mm	Weight g	Carrier	Box Qty	RRP incl. VAT €
277A red	39395 2	10	50	825		6	59,95
277A yellow	39394 5	10	50	825		6	59,95

275A

SECURITY LEVEL



VERSIONS



yellow





Alarm
Brake Disc Locks

TECHNICAL DATA

- 5,5 mm locking bolt
- The bolt, body and the structural parts of the locking mechanism are made of specially hardened steel
- Alarm function based on a vibration detection system
- Alarm of at least 100 dB
- An acoustic signal indicates the activity status
- Three keys are included in the scope of delivery
- One CR2 standard battery to supply the electronic unit is included in the scope of delivery


TECHNOLOGY



Ref. No.	EAN 4003318	 mm	 mm	Weight g	Carrier	Box Qty	RRP incl. VAT €
275A yellow	39397 6	5,5	45	725		8	49,95
275A red	39396 9	5,5	45	725		8	49,95

Brake Disc Locks





77
Page 50



39
Page 55



68
Page 51



405
Page 56



37/60 Maxi+Mini
Page 52



277
Page 57



37/60
Page 53



275
Page 58



67
Page 54



304
Page 59



303
Page 60

GRANIT™ SLEDG 77

SECURITY LEVEL



FEATURES



XPlus™



SH 77



Memory Cable



VERSIONS



web yellow



grip yellow



web orange



grip black

TECHNICAL DATA

- 13 mm locking bolt made from hardened special steel
- Extremely high protection against unauthorised use
- Locks the brake disc
- Small, easy to handle, compact and secure
- Easy handling thanks to the sliding mechanism
- Open the lock, let the slide slip out with the locking bolt, guide the bolt through the brake disc from the inside, push the lock body towards the bolt and lock with the key
- ABUS XPlus locking cylinder offers top levels of protection against lock picking
- Non-slip, protective rubber coating
- Includes a Memory Cable – to remind you about the lock before setting off



TECHNOLOGY



TEST SEALS



1) class C

Ref. No.	EAN 4003318			Weight g	Box Qty	RRP incl. VAT €
		mm	mm			
77 Granit Sledg web yellow	48736 1	13	45	780	1	139,95
77 Granit Sledg grip yellow	50966 7	13	45	780	1	139,95
77 Granit Sledg grip red	47503 0	13	45	780	1	139,95
77 Granit Sledg web orange	87561 8	13	45	780	1	139,95
77 Granit Sledg grip black	87562 5	13	45	780	1	139,95
Memory Cable	33919 6			40	6	7,95
SH77	54648 8			300	6	24,95

GRANIT™ VICTORY XPLUS™ 68

SECURITY LEVEL



FEATURES



VERSIONS



TECHNICAL DATA

- 14 mm steel bolt
- Excellent grip thanks to the rubberised ring
- The bolt, lock body and supporting elements of the locking mechanism are made of specially hardened steel
- The round shape hinders the use of opening tools
- ABUS XPlus cylinder for exceptionally high levels of protection against manipulation attempts such as picking
- Two keys are included in the scope of delivery
- ABUS Code Card for additional and replacement keys
- A Memory Cable that acts as a reminder against accidentally driving away with the motorbike still locked is included in the scope of delivery. With the "Roll Up" version, it is integrated into the bolt


TECHNOLOGY



TEST SEALS



1) class C

Ref. No.	EAN 4003318	 mm	Weight g	Version	Box Qty	RRP incl. VAT €
68 black full yellow roll up	56564 9	14	720		1	109,95
68 black yellow full	56335 5	14	740		1	104,95
68 yellow half	56336 2	14	720		1	104,95
68 black-half	63837 4	14	120	Locking bolt	1	34,95
68 black-full	37343 5	14	120	Locking bolt	1	34,95
68 lang 68/12KS	37336 7	14	200	Locking bolt	1	39,95
Roll Up Adapter 68 black	56566 3		28		1	14,95
Locking bolt incl. Roll Up Adapter	56565 6	14	120		1	34,95
SH68/69	33581 5		280		1	19,95

37/60 GRANIT™ QUICK MAXI + MINI

SECURITY LEVEL



FEATURES



Plus™



VERSIONS



Maxi yellow



Mini Pro yellow



Maxi Pro yellow

TECHNICAL DATA

- 11 mm padlock with shackle protection (13 mm with the Pro version)
- Double-locking mechanism securing the shackle in the lock body
- The shackle, the sleeves in the cover, the lock body and the structural parts of the locking mechanism are manufactured using specially hardened steel
- Excellent grip thanks to the rubber inlays on the side
- ABUS Plus cylinder for exceptionally high levels of protection against manipulation attempts such as picking
- Two keys are included in the scope of delivery
- ABUS Code Card for additional and replacement keys
- A Memory Clip to prevent you from accidentally pulling away with the motorbike still locked is included




TECHNOLOGY



TEST SEALS



1) class C 2) Maxi/Mini Pro

Ref. No.	EAN 4003318	 mm	 mm	 mm	Weight g	Box Qty	RRP incl. VAT €
37/60HB70 Maxi yellow	43849 3	70	11-28	11	665	1	134,95
37/60HB50 Mini yellow	42657 5	53	12-20	11	604	1	124,95
37/60HB50 Mini Pro yellow	56908 1	53	12-20	13	660	1	124,95
37/60HB70 Maxi Pro yellow	56910 4	70	11-28	13	665	1	134,95

37/60 GRANIT™ QUICK

SECURITY LEVEL



FEATURES



TECHNICAL DATA

- 11 mm padlock shackle with shackle protection
- Double-locking mechanism securing the shackle in the lock body
- The shackle, shackle protection, body and structural parts of the locking mechanism are manufactured using specially hardened steel
- ABUS Plus cylinder for exceptionally high levels of protection against manipulation attempts such as picking
- Two keys are included in the scope of delivery
- Manual cover to protect the keyhole from dirt and corrosion
- ABUS Code Card for additional and replacement keys
- A Memory Clip to prevent you from accidentally pulling away with the motorbike still locked is included




TECHNOLOGY



TEST SEALS



1) class C

Ref. No.	EAN 4003318	 mm	 mm	 mm	Weight g	Box Qty	RRP incl. VAT €
37/60HB70 Yellow	00903 7	70	14-24	11	1020	1	134,95
SH37	12372 6				360	1	27,95

GRANIT™ POWER XS 67

SECURITY LEVEL



FEATURES



XPlus™



Memo Roll Up Cable



VERSIONS



yellow



black



orange

TECHNICAL DATA

- 14 mm shackle (17 mm with coating)
- Double-locking mechanism securing the shackle in the lock body
- The shackle, the lock body and the structural parts of the locking mechanism are manufactured using specially hardened steel
- A soft silicone cover protects from scratches
- ABUS XPlus cylinder for exceptionally high protection against manipulation attempts such as picking
- Two keys are included in the scope of delivery
- Manual cover to protect the keyhole from dirt and corrosion
- ABUS Code Card for additional and replacement keys
- A Memory Cable to prevent you from accidentally pulling away with the motorbike locked is included in the scope of delivery

TECHNOLOGY



TEST SEALS



Ref. No.	EAN 4003318	mm	mm	mm	Weight g	Box Qty	RRP incl. VAT €
67/105HB50 Granit XS red	58090 1	48	41	17	660	1	99,95
67/105HB50 Granit XS yellow	56995 1	48	41	17	660	1	99,95
67/105HB50 Granit XS black	91774 5	48	41	17	660	1	99,95
67/105HB50 Granit XS orange	77583 3	48	41	17	660	1	99,95
Memory Cable	33919 6				40	6	7,95

VICTORY 39

SECURITY LEVEL



FEATURES



TECHNICAL DATA

- 12 mm locking bolt
- Excellent grip thanks to the rubberised ring
- The round shape hinders the use of attacking and cutting tools
- Integrated Memory Cable as a reminder about the lock before setting off
- Two keys are supplied with the lock

TECHNOLOGY



Ref. No.	EAN 4003318	 mm	Weight g	Box Qty	RRP incl. VAT €
39 Victory black/red	68030 4	12	463	1	49,95

405

SECURITY LEVEL



FEATURES






TECHNICAL DATA

- 12 mm round shackle
- The shackle, the lock body as well as supporting elements of the locking mechanism are made of special hardened steel
- Newly patented pick and break resistant 6-wafer key and key cylinder
- Pass-through shackle provides anti-twist protection in a simple innovative design
- Two keys are supplied with the lock

TECHNOLOGY



Ref. No.	EAN	 mm	 mm	 mm	Weight g	Carrier	Box Qty	RRP incl. VAT €
405/100HB green C/SB	77006 7	45	40	14	420		1	59,95

277

SECURITY LEVEL



VERSIONS



yellow





TECHNICAL DATA

- 10 mm locking bolt
- "push down" - cylinder
- The bolt, body and the structural parts of the locking mechanism are made of specially hardened steel
- Three keys are included in the scope of delivery

TECHNOLOGY




Ref. No.	EAN 4003318	 mm	 mm	Weight g	Carrier	Box Qty	RRP incl. VAT €
277 red	39398 3	10	50	800		6	39,95
277 yellow	39399 0	10	50	800		6	39,95

275

SECURITY LEVEL



VERSIONS



yellow





TECHNICAL DATA

- 5,5 mm locking bolt
- "push down" - cylinder
- The bolt, body and the structural parts of the locking mechanism are made of specially hardened steel
- Three keys are included in the scope of delivery

TECHNOLOGY



Ref. No.	EAN 4003318	 mm	 mm	Weight g	Box Qty	RRP incl. VAT €
275 red	39400 3	5,5	45	700	8	29,95
275 yellow	39401 0	5,5	45	700	8	29,95

304

SECURITY LEVEL



FEATURES





TECHNICAL DATA

- 10 mm locking bolt
- The locking bolt is made of specially hardened steel
- The lock body is made of impact-resistant cast metal
- SK10 cylinder with inner lane key
- Manually operated keyhole cover to protect against dirt and corrosion
- Simple automatic locking mechanism
- Two keys included

TECHNOLOGY



Ref. No.	EAN 4003318	 mm	 mm	Weight g	Box Qty	RRP incl. VAT €
304 red	69078 5	10	60	463	10	29,95

303

SECURITY LEVEL



FEATURES





TECHNICAL DATA

- 5 mm locking bolt
- The locking bolt is made of specially hardened steel
- The lock body is made of impact-resistant cast metal
- Simple automatic locking mechanism with large push button
- ABUS quality cylinder with easy-to-use reversible key
- Two keys are included in the scope of delivery
- Manually operated keyhole cover to protect against dirt and corrosion

TECHNOLOGY



Ref. No.	EAN 4003318	 mm	 mm	Weight g	Carrier	Box Qty	RRP incl. VAT €
303 red	87333 1	5	38	312		12	19,95




Garage security and accessories





PPIC90000
Page 64



138/150 GateSec
Page 65



787 BIG
Page 68



WCH 90
Page 72



AFS625
Page 66



787 LED
Page 69



GRANIT™ WBA 100
Page 73



787 BIG LED
Page 66



787
Page 69




GRANIT™ WBA 75
Page 73



787 SMART BT
Page 67



797 LED
Page 70



WBA 60
Page 74



797 SMART BT
Page 67



797
Page 70



WA 50
Page 74



787 BIG LED
Page 68



767
Page 71



SSP20
Page 75

PPIC90000



Versions



Battery Cam



Base Station



Battery Cam +
Base Station




2 x Battery Cam +
Base Station

TECHNICAL DATA

- 100% wireless thanks to battery and Wi-Fi/radio technology
- 2.4 GHz Wi-Fi and encrypted transmission
- Long-lasting battery and 4-hour fast-charge mode
- White light LED and high-performance chip set
- Full HD 1080p/2MPx
- 120° angle of vision (150° diagonal)
- Stand-by mode and hardware PIR-controlled activation
- PIR angle of view 112° and PIR range 8m
- Free App2Cam Plus (Android/iOS)
- Push notifications on the app
- Access images and videos on mobile via App2Cam Plus (up to 3 users)
- Local usage or via internet
- Base station via USB adapter to an open socket
- Local data storage in base station and without Cloud subscription
- Integrated loudspeaker and microphone
- Horizontal camera design

Ref. No.	EAN 4003318	Version	colour	Box Qty	RRP incl. VAT €
PPIC90000	87913 5	Cam + base station	white	1	179,00
PPIC90520	87916 6	Battery cam	white	1	145,00
PPIC90010	87914 2	Base station	white	1	69,00
PPIC90200	87915 9	2 Cams + base station	white	1	299,00

138/150 GATESEC™



TECHNICAL DATA

- Solid stainless steel, rust-free
- Tensile resistance above 2.2 tons
- Extremely flat surface mounting with 3 fixing points
- Incl. mounting material
- To be used with a padlock

Ref. No.	EAN 4003318	Length a mm	Width b	Eyelet bore hole c	Version	Security Level Home Security	Box Qty	RRP incl. VAT €
138/150 GateSec™	80901 9	150	68	11	stainless steel	8	1	70,70

FIRE STOP AFS625



TECHNICAL DATA

- 625 ml highly effective foam extinguishing agent
- Easy to use – just like a conventional spray can
- Spraying range (max. distance between source of fire and user) up to 4 m
- Spray time approx. 25 seconds
- Weight: approx. 900 g gross
- Suitable for fighting incipient fires of fire classes A, B and F
- Fire class 5A: solid and non-melting substances
- Fire class 21B: liquid and melting substances
- Fire class 15F: cooking fats and cooking oils
- Also for use with electrical systems of up to 1000 V (distance of at least 1 m)

ACCESSORIES



Ref. No.	EAN 4003318	Weight	Box Qty	RRP incl. VAT €
AFS625	85727 0	847	6	35,40
Bracket AFS625/FLS580	56249 5	81	1	21,10

PS88



TECHNICAL DATA

- Free from chlorine, fluorine (CKW/FCKW), PCB, lead and other contaminants
- Non-greasy special lubricant spray
- Door cylinders, bicycle lock cylinders, padlock cylinders, car locks, tools, sports equipment, office machines
- Non-greasy special agent

Ref. No.	EAN 4003318	Weight g	Box Qty	Version	RRP incl. VAT €
PS88 50ml D	00117 8	59	1	50 ml aerosol can	7,00
PS88 125ml D	07010 5	124	1	125 ml aerosol can	10,30
PS88 300ml D	84408 9	301	1	300 ml aerosol can	16,20
Display PS88 50ml D	08217 7	60	1	24 x 50 ml	206,10
Display PS88 125ml D	06952 9	124	1	12 x 125 ml	152,60
Display PS88 300ml D	84409 6	3900	1	12 x 300 ml	195,20

787 SMART BLUETOOTH®






TECHNOLOGY



TECHNICAL DATA

- Large, sturdy metal housing
- Illuminated electronic keypad for entering a 6-digit key code
- Manage and use the KeyGarage™ using the HomeTec Pro Bluetooth app
- Generate and send individual access tickets or a 6-digit code for multiple users
- View the log access history and current users
- Capacity for up to 20 keys, 3 car keys or 30 plastic cards
- Integrated key hooks for hanging up keys/key fobs
- Automatic locking
- Battery compartment for 2 x AA batteries, accessible from the outside
- For safely storing keys or small valuable objects for authorised persons
- Fast and easy access for groups of people that change frequently (e.g. workers, service, holiday guests, vehicle rental, multi-family homes, care services)
- Access option of generating and sharing a key code or of sending an electronic access ticket through the HomeTec Pro Bluetooth app
- For wall mounting indoors and in protected outdoor areas
- Store whole key fobs thanks to the large compartment inside

Ref. No.	EAN 4003318	 mm	 mm	 mm	Weight g	Box Qty	RRP incl. VAT €
787 SMART-BT wall mounting	63824 4	82,5	63	120	883	1	179,00

797 SMART BLUETOOTH®



TECHNOLOGY



TECHNICAL DATA

- Large, sturdy metal housing
- Illuminated electronic keypad for entering a 6-digit key code
- Manage and use the KeyGarage™ using the HomeTec Pro Bluetooth app
- Generate and send individual access tickets or a 6-digit code for multiple users
- View the log access history and current users
- Capacity for up to 20 keys, 3 car keys or 30 plastic cards
- Integrated key hooks for hanging up keys/key fobs
- Automatic locking
- Battery compartment for 2 x AA batteries, accessible from the outside
- For safely storing keys or small valuable objects for authorised persons
- Fast and easy access for groups of people that change frequently (e.g. workers, service, holiday guests, vehicle rental, multi-family homes, care services)
- Access option of generating and sharing a key code or of sending an electronic access ticket through the HomeTec Pro Bluetooth app
- Mounting with shackle for flexible and temporary use in indoor and protected outdoor areas (e.g. on doorknobs, railings or handles)
- Store whole key fobs thanks to the large compartment inside

Ref. No.	EAN 4003318	 mm	 mm	 mm	Weight g	Box Qty	RRP incl. VAT €
797 SMART-BT with shackle	63825 1	82,5	63	179	888	1	187,00

787 BIG LED KEYGARAGE™






TECHNOLOGY



TECHNICAL DATA

- Solid metal housing
- Locking cover made of zinc die-cast
- 4-digit individually settable code
- Illuminated dials for a better legibility in dark conditions
- LEDs light up ca. 30 seconds
- Customary coin cell battery (CR2032) can be easily replaced, durability of battery when used 1x per day approximately 2 years
- Protective cover with sliding mechanism
- For wall mounting with screws
- Can hold up to 20 keys or 14 code cards (787 LED) or up to 30 keys or 50 code cards (787 BIG LED)
- Easily removable clip-in hooks guarantee consumer's comfort
- Outer dimensions of housing: 84 x 120 x 42 (787 LED) / 84 x 120 x 62 (787 BIG LED)
- Ideal protected storage of keys and other valuables for authorised persons
- Quick and easy access for frequently changing groups of persons (craftsmen, service, holiday guests, apartment buildings, car rentals)
- Defining access by setting and passing on the code
- For wall mounting indoors and in protected outdoor areas

Ref. No.	EAN 4003318	 mm	 mm	 mm	Weight g	Box Qty	RRP incl. VAT €
787 BIG LED wall mounting	83856 9	84	62	120	721	1	66,00

787 BIG KEYGARAGE™



TECHNOLOGY



TECHNICAL DATA

- Very large solid metal housing and extra large storage compartment
- Locking cover made from zinc die-cast
- Individually resettable code (4-digit)
- Protective cover with sliding mechanism
- For wall mounting with screws
- Holds up to 30 cards or 50 keys
- Easily removable clip-in hooks guarantee consumer's comfort
- Flat inner mechanism makes a larger storage space possible
- Outer dimensions of housing: 84 x 120 x 62
- Ideal protected storage of keys and other valuables for authorised persons
- Quick and easy access for frequently changing groups of persons (craftsmen, service, holiday guests, apartment buildings, car rentals)
- Defining access by setting and passing on the code
- For wall fixing indoors and in protected outdoor areas
- Storage of a complete bunch of key now possible because of larger space and removable hook

Ref. No.	EAN 4003318	 mm	 mm	 mm	Weight g	Box Qty	RRP incl. VAT €
787 BIG wall mounting	08492 8	83,5	62	120	841	4	54,50

787 LED KEYGARAGE™






TECHNOLOGY



TECHNICAL DATA

- Solid metal housing
- Locking cover made of zinc die-cast
- 4-digit individually settable code
- Illuminated dials for a better legibility in dark conditions
- LEDs light up ca. 30 seconds
- Customary coin cell battery (CR2032) can be easily replaced, durability of battery when used 1x per day approximately 2 years
- Protective cover with sliding mechanism
- For wall mounting with screws
- Can hold up to 20 keys or 14 code cards (787 LED) or up to 30 keys or 50 code cards (787 BIG LED)
- Easily removable clip-in hooks guarantee consumer's comfort
- Outer dimensions of housing: 84 x 120 x 42 (787 LED) / 84 x 120 x 62 (787 BIG LED)
- Ideal protected storage of keys and other valuables for authorised persons
- Quick and easy access for frequently changing groups of persons (craftsmen, service, holiday guests, apartment buildings, car rentals)
- Defining access by setting and passing on the code
- For wall mounting indoors and in protected outdoor areas

Ref. No.	EAN 4003318	 mm	 mm	 mm	Weight g	Box Qty	RRP incl. VAT €
787 LED wall mounting	83854 5	84	42	120	698	1	61,40

787 KEYGARAGE™




TECHNOLOGY



TECHNICAL DATA

- Solid metal housing
- Locking cover made of zinc die-cast
- 4-digit individually settable code
- Protective cover with sliding mechanism
- For wall mounting with screws
- Can hold up to 20 keys or 14 code cards
- Outer dimensions of housing: 80 x 120 x 45
- Easily removable clip-in hooks guarantee consumer's comfort
- Ideal protected storage of keys and other valuables for authorised persons
- Quick and easy access for frequently changing groups of persons (craftsmen, service, holiday guests, apartment buildings, car rentals)
- Defining access by setting and passing on the code
- For wall mounting indoors and in protected outdoor areas

Ref. No.	EAN 4003318	 mm	 mm	 mm	Weight g	Box Qty	RRP incl. VAT €
787 wall mounting	46331 0	80	45	120	690	1	49,20

797 LED KEYGARAGE™



TECHNICAL DATA




- Solid metal housing
- Locking cover made of zinc die-cast
- 4-digit individually settable code 4-digit
- Illuminated dials for a better legibility in dark conditions
- LEDs light up ca. 30 seconds
- Customary coin cell battery (CR2032) can be easily replaced, durability of battery when used 1x per day approximately 2 years
- Protective cover with sliding mechanism
- Fixing with shackle, e.g. on a door knob of gates and doors
- Can hold up to 20 keys or 14 code cards
- Outer dimensions of housing: 84 x 119 x 44
- Housing and shackle plastic coated (protects door from scratching)
- Ideal protected storage of keys and other valuables for authorised persons
- Quick and easy access for frequently changing groups of persons (craftsmen, service, holiday guests, apartment buildings, car rentals)
- Defining access by setting and passing on the code
- Fixing with shackle, e.g. on a door knob of gates and doors

ACCESSORIES



TECHNOLOGY



Ref. No.	EAN 4003318	 mm	 mm	 mm	Weight g	Box Qty	RRP incl. VAT €
797 LED with shackle	83855 2	84	44	120	779	1	63,70
Adapter KeyGarage™ 777 + 797	56321 8	70	74	63	114	1	13,10

797 KEYGARAGE™



TECHNICAL DATA




- Solid metal housing
- Locking cover made of zinc die-cast
- 4-digit individually settable code
- Protective cover with sliding mechanism
- Fixing with shackle, e.g. on a door knob of gates and doors
- Can hold up to 20 keys or 14 code cards
- Outer dimensions of housing: 85 x 120 x 45
- Housing and shackle plastic coated (protects door from scratching)
- Ideal protected storage of keys and other valuables for authorised persons
- Quick and easy access for frequently changing groups of persons (craftsmen, service, holiday guests, apartment buildings, car rentals)
- Defining access by setting and passing on the code
- Fixing with shackle, e.g. on a door knob of gates and doors

ACCESSORIES



TECHNOLOGY



Ref. No.	EAN 4003318	 mm	 mm	 mm	Weight g	Box Qty	RRP incl. VAT €
797 with shackle	46330 3	85	45	180	767	1	51,50
Adapter KeyGarage™ 777 + 797	56321 8	70	74	63	114	1	13,10

767 KEYGARAGE™






TECHNICAL DATA

- Solid metal housing
- Locking cover made from zinc die-cast
- Code up to 10 digits individually resettable (the sequence of the code is irrelevant)
- Code needs to be entered in order to close the locking cover
- Plastic cover to protect against dust, dirt, etc.
- For wall fixing with screws
- Holds up to 17 cards or 20 keys
- Outer dimensions of housing: 84 x 119 x 47
- Ideal protected storage of keys and other valuables for authorised persons
- Quick and easy access for frequently changing groups of persons (craftsmen, service, holiday guests, apartment buildings, car rentals)
- Defining access by setting and passing on the code
- For wall fixing indoors and in protected outdoor areas

TECHNOLOGY



Ref. No.	EAN 4003318	 mm	 mm	 mm	Weight g	Box Qty	RRP incl. VAT €
767 wall mounting	53507 9	80	45	120	657	1	60,20



WCH 90

SECURITY LEVEL



FEATURES



VERSIONS



WCH90 + ACH 9KS/110
Twin Chain



WCH90 + ACH 9KS/130

TECHNICAL DATA

- Wall anchor with integrated chain
- Hardened steel housing for high resistance
- The wall anchor is firmly anchored in the wall with high-security special dowels and thus offers an extremely high level of theft protection
- The safety dowels are included in the scope of delivery
- Only suitable for wall mounting
- The chain and the housing are made of specially hardened steel
- Textile coating to protect against paint damage
- The chains are available in different lengths
- ABUS XPlus cylinder for the greatest protection against manipulation, such as picking

TECHNOLOGY



TEST SEALS



Ref. No.	EAN 4003318	⊕	●○○	Weight g	Box Qty	RRP incl. VAT €
WCH90 + ACH 9KS/110	69061 7	9	110	3580	3	199,95
WCH90 + ACH 9KS/110 Twin Chain	69063 1	9	110	6620	2	249,95
WCH90 + ACH 9KS/130	69062 4	9	130	3960	3	219,95

WBA100 GRANIT™



SECURITY LEVEL



Ref. No.	EAN 4003318	mm	mm	mm	mm	mm	Weight g	Box Qty	RRP incl. VAT €
WBA100 GRANIT™	27161 8	160	165	16	65	77	1880	1	99,95

TECHNICAL DATA

- 16 mm thick shackle made of hardened special steel for maximum resistance
- Incl. mounting accessories

TEST SEALS



WBA75 GRANIT™



SECURITY LEVEL



Ref. No.	EAN 4003318	mm	mm	mm	mm	mm	Weight g	Box Qty	RRP incl. VAT €
WBA75 GRANIT™	78606 8	135	98	14	57	65	850	1	69,95

TECHNICAL DATA

- 14 mm thick shackle made of hardened special steel for maximum resistance
- Incl. mounting accessories

TEST SEALS



WBA60



SECURITY LEVEL








TECHNICAL DATA

- 10 mm thick shackle made of hardened special steel for maximum resistance
- Incl. mounting accessories

TEST SEALS



Ref. No.	EAN	 mm	 mm	 mm	 mm	 mm	Weight g	Box Qty	RRP incl. VAT €
WBA60	82211 7	118	80	10	52	55	450	1	49,95

WA50



SECURITY LEVEL



TECHNICAL DATA

- Strong wall anchor made of hardened steel
- Incl. mounting material

Ref. No.	EAN	 mm	 mm	 mm	 mm	 mm	Weight g	Box Qty	RRP incl. VAT €
WA50	04294 2	80	110		38	38	786	1	39,95

SSP20



TECHNICAL DATA

- Side Stand Pad
- For a safe stand of the motorcycle on loose or muddy ground
- To protect the tiles in the showroom or in your own garage

Ref. No.	EAN	colour	Box Qty	RRP incl. VAT €
SSP20	4003318 90058 7	black	1	9,95

Garage security
and accessories

Special Security Items





Alarmbox RC
Page 79



Travelguard
Page 84



141 Diskus® Integral
Page 80



Adventure
Page 84



37/55 Snowmobil
Page 81



Cobra
Page 85



205
Page 82



1850
Page 85



6500A ONE
Page 78



620TSA
Page 82



Memory Cable
Page 86



Alarmbox 2.0
Page 79



Combiflex™
Page 83



Memory Roll Up
Page 86

BORDO™ ONE 6500A

SECURITY LEVEL



FEATURES



Bracket SH 6500A
SmartX



SmartX RC



3D Position Detection



Controlled
by iOS- and Android
Smartphones
or using the Smart
Remote
(available seperately)

TECHNICAL DATA

- 5.5 mm thick rods, with extra-soft 2-component coating
- Easy operation via the ABUS One app (previously SmartX) – for iOS and Android
- Bike lock can be opened and locked without a key – keyless function based on proven ABUS SmartX™ Bluetooth® technology
- Alarm function with min. 100 dB for 15 seconds, then automatic re-arming
- 3D position detection – detects vibrations and the smallest of movements in all three dimensions and triggers an alarm
- Smart alarm – the lock only emits a short warning tone in the event of minor and brief vibrations, e.g. if a football bounces nearby
- USB-C port
- Storage of the bike's last parking location
- LED light indicates battery and charging status
- RC variant can be operated via included remote control (for all other variants, the remote control is available separately)
- Incl. holder (SH)

TECHNOLOGY



TEST SEALS



Ref. No.	EAN 4003318	 cm	Weight g	Box Qty	RRP incl. VAT €
6500A/110 black SH BORDO One	61495 8	110	2300	3	249,95
6500A/110 black SH RC BORDO One	61497 2	110	2320	3	299,95
SmartX™ RC	64000 1		70	1	59,95

ALARMBOX 2.0



TECHNICAL DATA

- Alarm function with min. 100 dB for 15 seconds, followed by reactivation
- 3D Position Detection - alarm system that detects vibrations and the smallest movements in all three dimensions and triggers the alarm
- Smart alarm – the Alarmbox only emits a small warning beep in the event of minor and brief vibrations, e.g. if a football bounces nearby
- CR2 batteries included
- Mounting option on almost all round geometries
- Connection option for ABUS adapter chains and cables

VERSIONS



Alarmbox 2.0 black + 6KS/100 Alarmbox 2.0 black + ACL 12/100

TECHNOLOGY



Ref. No.	EAN 4003318	Weight g	Box Qty	RRP incl. VAT €
Alarmbox 2.0 black	61482 8	430	12	59,95
Alarmbox 2.0 black + ACH 6KS/100	61488 0	1270	6	89,95
Alarmbox 2.0 black + ACL 12/100	61489 7	720	6	79,95

ALARMBOX RC



TECHNICAL DATA

- Alarmbox with remote control
- Alarm function with min. 100 dB for 15 seconds, followed by reactivation
- 3D position detection - detects vibrations and the smallest of movements in all three dimensions and triggers an alarm
- Smart alarm – the Alarmbox only emits a small warning beep in the event of minor and brief vibrations, e.g. if a football bounces nearby
- Convenient arming and disarming by remote control
- CR2 battery included (Alarmbox) / CR2032 battery included (remote control)
- Mounting option on almost all round geometries
- Very lightweight and therefore ideal for use in sports and outdoors
- Various connection options such as cable ties, double-sided adhesive tape, Velcro, etc.

VERSIONS



RC Alarmbox RC Top

TECHNOLOGY



Ref. No.	EAN 4003318	Weight g	Box Qty	RRP incl. VAT €
Alarmbox RC SingleSet black	61487 3	82	12	59,95
Alarmbox RC TwinSet black	69058 7	164	12	119,95
Alarmbox RC Box only	69059 4	68	12	39,95
RC Remote Control Alarmbox black	69060 0	16	12	19,95

141 DISKUS® INTEGRAL

VERSIONS



black



TECHNOLOGY

- Universal hasp with integrated Diskus® padlock (70 mm) for doors and gates without rebate
- Easy to operate with one hand due to handy frontal cylinder access
- Extremely corrosion resistant cylinder
- Solid metal locking case almost completely prevents successful attacks on the integrated padlock
- Interchangeable Diskus® lock
- Fixing material (screws, drilling template and spacers up to 5 mm height levelling) and Diskus® lock are included
- Corrosion protected

Ref. No.	EAN 4003318	Box Qty	RRP incl. VAT €
141/200 black	51439 5	1	54,45
141/200 white	50656 7	1	54,45
141/200 black + 26/70	51440 1	1	93,50
141/200 white + 26/70	50655 0	1	93,50

GRANIT™ 37/55 SNOWMOBIL

FEATURES



VERSIONS



TECHNICAL DATA

- 11 mm specially hardened lock bracket with double-locking mechanism
- Extremely long U-lock
- ABUS-Plus locking system against ingenious lock-breaking methods

TECHNOLOGY



TEST SEALS



1) class C

Ref. No.	EAN 4003318	 mm	 mm	 mm	Weight g	Box Qty	RRP incl. VAT €
37/55HB535 Snowmobil	26706 2	535	28	11	1250	1	124,95

Special Security
Items

COMBILoop 205



TECHNICAL DATA



- 5 mm thick steel cable
- Synthetic coating to prevent damage to the bicycle's paintwork
- Automatic locking at insertion of the locking bolt
- Individually settable code

TECHNOLOGY



SECURITY LEVEL



Ref. No.	EAN 4003318	 mm	 cm	Weight g	Box Qty	RRP incl. VAT €
205/200 black	52523 0	5	200	180	12	24,95

620TSA



- Individually resettable 3-digit code
- Writeable address label included
- Total length of luggage strap - ca. 192 cm
- Inclusive opening indicator showing that the luggage strap was opened by a TSA key.

SECURITY LEVEL

VERSIONS



Ref. No.	EAN 4003318	colour	Box Qty	RRP incl. VAT €
620TSA/192 blue	87661 5	blue	18	16,40
620TSA/192 green	87659 2	green	18	16,40
620TSA/192 red	87660 8	red	18	16,40
620TSA/192 black	87658 5	black	18	16,40

COMBIFLEX™



VERSIONS



black



neon



midnight blue





black + CHR

TECHNICAL DATA

- Self-retracting cable
- Opening code can be set and changed by the user
- Attractive pocket format fits comfortably in any pocket
- Extendible steel cable

TECHNOLOGY



Ref. No.	EAN 4003318	 mm	 cm	Weight g	Box Qty	RRP incl. VAT €
StopOver 65 black	95454 2	1,2	65	46	12	16,95
StopOver 65 neon	95458 0	1,2	65	46	12	16,95
StopOver 65 midnight blue	95459 7	1,2	65	46	12	16,95
Break 85 black	95455 9	1,5	85	58	12	19,95
Break 85 neon	95460 3	1,5	85	58	12	19,95
Break 85 midnight blue	95461 0	1,5	85	58	12	19,95
Rest 105 black	95456 6	2,4	105	85	12	24,95
Rest 105 black + CHR	95484 9	2,4	105	96	12	39,95
Trip 125 black	95457 3	3	125	128	12	29,95

COMBIFLEX™ TRAVELGUARD



VERSIONS



black





yellow

TECHNICAL DATA

- Cable protection with extra solid steel core
- Users can set and change the 3-digit code themselves
- Cable lock with releasable locking mechanism
- Small and lightweight, fits well in trouser or jersey pocket

TECHNOLOGY



Ref. No.	EAN 4003318	 mm	 cm	Weight g	Box Qty	RRP incl. VAT €
TravelGuard black	95468 9	4	45	80	32	29,95
TravelGuard yellow	95601 0	4	45	80	32	29,95
TravelGuard red	95600 3	4	45	80	32	29,95

COMBIFLEX™ ADVENTURE





TECHNICAL DATA

- Compact cable lock with retractable cable
- Users can set and change the 3-digit code themselves
- Attractive pocket format fits comfortably in any pocket
- 4 mm thick and 75 cm long steel cable

TECHNOLOGY





Ref. No.	EAN 4003318	 mm	 cm	Weight g	Box Qty	RRP incl. VAT €
Combiflex™ Adventure black	95465 8	4	75	90	1	29,95

COBRA™



TECHNICAL DATA

- High quality steel cable with two loop ends
- Synthetic coating to prevent damage to the bicycle's paintwork

Ref. No.	EAN 4003318	 mm	 cm	Weight g	Box Qty	RRP incl. VAT €
Cobra™ 5/75 black	37106 6	5	75	75	100	8,95
Cobra™ 8/200 black	25718 6	8	200	280	1	15,95
Cobra™ 8/250 black	27390 2	8	250	395	16	19,95
Cobra™ 10/140 black	37107 3	10	140	310	30	15,95
Cobra™ 10/200 black	11167 9	10	200	400	1	24,95
Cobra™ 10/220 black	37108 0	10	220	420	24	26,95
Cobra™ 10/300 black	59930 9	10	300	560	21	32,95
Cobra™ 10/500 black	20780 8	10	500	850	1	36,95
Cobra™ 10/1000 black	20781 5	10	1000	1580	1	49,95
Cobra™ 12/120 black	25719 3	12	120	380	1	22,95
Cobra™ 12/180 black	27391 9	12	180	490	15	24,95

1850



TECHNICAL DATA

- High quality steel cable with two loop ends
- Synthetic coating to prevent damage to the bicycle's paintwork

Ref. No.	EAN 4003318	 mm	 cm	Weight g	Box Qty	RRP incl. VAT €
1850/185	12752 6	8	185	280	18	14,95

MEMORY CABLE



- The memory cable serves as optical reminder of the brake disc lock. One end of the cable is secured to the lock and the other is placed as a reminder to the handlebar grip

Ref. No.	EAN 4003318		Weight g	Box Qty	RRP incl. VAT €
Memory Cable	33919 6	90	40	6	7,95

MEMO ROLL UP CABLE



- The memory cable serves as optical reminder of the brake disc lock. One end of the cable is secured to the lock and the other is placed as a reminder to the handlebar grip

Ref. No.	EAN 4003318		Weight g	Box Qty	RRP incl. VAT €
Memo Roll Up Cable	57038 4	90	15	6	7,95



Padlocks and Chains





37160
Page 90



37155 S&S
Page 91



37RK/80
Page 90




37155
Page 91



20
Page 92



24
Page 92



55
Page 93



Chain KS
Page 93

37/60 GRANIT™



TECHNOLOGY

- ABUS-Plus disc cylinder: highest protection against manipulation
- Body and shackle made from hardened alloy steel
- Black Granit coating for even more corrosion resistance
- 2 keys
- Shackle guard protects against attacks with tools
- Cylinder inserted from the top: optimum drill and pull resistance
- Shackle can be taken out
- To secure valuables/goods of great value or at a very high risk of theft
- Meets special requirements of insurance companies
- Certified and approved padlock
- To secure e.g. warehouses, industrial sites, factory gates, containers and lorries

TECHNICAL DATA



Ref. No.	Plus EAN 4003318	Code Card						Weight g	Box Qty	RRP incl. VAT €
		mm	mm	mm	mm	mm	mm			
37/60 B/DFNLI	35062 7	65	18	16	11	35	85	608	1	127,30
37/60 B/EFSP	32380 5	65	18	16	11	35	85	609	1	127,30

37RK/80 GRANIT™



TECHNOLOGY

- ABUS-Plus disc cylinder: highest protection against manipulation
- Body and shackle made from hardened alloy steel
- Black Granit coating for even more corrosion resistance
- RK: cylinder can be re-keyed to match an existing ABUS-Plus key
- 2 keys
- Shackle guard protects against attacks with tools
- Cylinder inserted from the top: optimum drill and pull resistance
- Shackle can be taken out
- To secure valuables/goods of great value or at a very high risk of theft
- Meets special requirements of insurance companies
- Certified and approved padlock
- To secure e.g. warehouses, factory gates, containers and lorries

TECHNICAL DATA



Ref. No.	Plus EAN 4003318	Code Card						Weight g	Box Qty	RRP incl. VAT €
		mm	mm	mm	mm	mm	mm			
37RK/80 B/DFNLI	20115 8	79	22	22	14	39	94	1047	1	170,60
37RK/80 B/EFSP	43121 0	79	22	22	14	39	94	1120	1	170,60

37/55 GRANIT™ S&S



TECHNOLOGY







- Highest levels of quality assurance
- ABUS Plus disc cylinder: maximum precision for securing against intelligent attempts to break open, up to 250,000 different key variations
- Double ball locking
- Shackle and body made from hardened alloy steel
- Black Granit protection for even more corrosion resistance
- RK: cylinder can be re-keyed to match an existing key
- Two keys are supplied with the lock
- Securing larger valuable objects
- Securing objects with very high risk of theft
- Special insurance company requirements

TECHNICAL DATA



Plus

Code Card

Ref. No.	EAN 4003318	 mm	 mm	 mm	 mm	 mm	 mm	Weight g	Box Qty	RRP incl. VAT €
37/55 S&S B/EFSP	32441 3	62,5	27,5	26,5	11	31	84	445	2	110,20
37/55 S&S B/SDKNFN	35060 3	62,5	27,5	26,5	11	31	84	470	2	110,20

37/55 GRANIT™



TECHNOLOGY







- ABUS-Plus disc cylinder: highest protection against manipulation
- Body and shackle made from hardened alloy steel
- Black Granit coating for even more corrosion resistance
- RK: cylinder can be re-keyed to match an existing ABUS-Plus key
- 2 keys
- To secure valuables/goods of great value or at a very high risk of theft
- Meets special requirements of insurance companies
- Certified and approved padlock
- To secure e.g. warehouses, industrial sites, factory gates, containers and lorries

TECHNICAL DATA



Plus

Code Card

Ref. No.	EAN 4003318	 mm	 mm	 mm	 mm	 mm	 mm	Weight g	Box Qty	RRP incl. VAT €
37/55 B/EFSP	32170 2	62,5	27,5	26,5	11	31	84	470	2	102,80
37/55 B/DFNLI	35057 3	62,5	27,5	26,5	11	31	84	470	2	102,80

20 DISKUS®









TECHNOLOGY

- Stainless steel - outside and inside
- Additional protection against sawing
- Shackle made from high quality stainless steel
- ABUS-Plus disc cylinder: highest protection against manipulation, extremely high number of key differs
- Cylinder cover – maximum protection against dirt and water spray
- Sophisticated Diskus® welded seam for highest break resistance
- Original Diskus® design: 360° protection
- Key retaining: key is needed for locking (lock retains key until locked)
- Made in Germany
- 2 keys
- To secure valuables/goods of great value or at a very high risk of theft
- To secure e.g. warehouses, industrial sites, factory gates, containers and lorries

TECHNICAL DATA



Plus

Ref. No.	EAN 4003318	 mm	 mm	 mm	 mm	 mm	 mm	Weight g	Box Qty	RRP incl. VAT €
20/70	08854 4	70	20	17	10	30,5	70	306	6	54,50
20/80	08798 1	80	25	18	11	35,5	81	416	3	62,50

24 DISKUS®










TECHNOLOGY

- Round shape plus narrow shackle opening makes it difficult to access with heavy-duty tools
- Shackle made from hardened alloy steel
- Ideally used with ABUS Diskus® Hasp 140: virtually impossible to attack shackle
- Additional protection against sawing
- Sophisticated welded seam for highest break resistance
- Precision pin tumbler cylinder
- Made in Germany
- 2 keys
- To secure valuables/goods at a medium risk of theft

TECHNICAL DATA









Ref. No.	EAN 4003318	 mm	 mm	 mm	 mm	 mm	 mm	Weight g	Box Qty	RRP incl. VAT €
24/70	01107 8	70	20	17	10	28	70	290	6	38,90



TECHNOLOGY

- Body made of solid brass
- Inner components made of non-corrosive materials
- Shackle made from hardened steel
- Precision pin tumbler cylinder
- Self-locking: locking without key by pushing down the shackle
- Basic protection
- Cobra loop cables, doors, gates, cabinets, lockers, toolboxes, cellar windows, sheds, switchgears, barriers



Ref. No.	EAN 4003318	 mm	 mm	 mm	 mm	 mm	 mm	Weight g	Box Qty	RRP incl. VAT €
55/30	02854 0	29	15	13	5	12	44	79	12	9,95
55/40	02856 4	38	21	22	6,5	13	60	132	12	13,95
55/40HB63	04762 6	38	21	63	6,5	13	103	152	12	16,00
55/50	02858 8	48	25	24	7	14	68	194	6	19,40
55/60	02859 5	58	32	32	8	16	84	315	6	24,95

8KS



TECHNICAL DATA

- Security chain made of special hardened steel
- Fabric sleeve prevents paint work and chrome from damage
- Top security against all types of aggressive attacks
- Chains in barrels: customized lengths available

Ref. No.	EAN 4003318	 mm	 cm	Weight g	Box Qty	RRP incl. VAT €
Chain 8KS85 black	27294 3	8	85	1328	2	39,95
Chain 8KS110 black	27295 0	8	110	1725	2	44,95
Chain 8KS140 black	28509 7	8	140	2090	2	49,95
Chain 9KS250 loop	45579 7	9	250	4930	1	99,95
Chain 10KS110 black	27168 7	10	110	2510	2	69,95
Chain 10KS140 black	27167 0	10	140	3110	2	79,95
Chain 10KS170 black	27166 3	10	140	3838	2	89,95
Chain 10KS200 black	27530 2	10	200	4540	1	99,95

Brackets






SH 59
Page 96



SH 58
Page 96



SH 68/69
Page 96



SH 37
Page 97



SH 77
Page 97



ST1010
Page 97

BRACKET SH59



TECHNICAL DATA

- Transport of U-shackle lock Granit Extreme 59
- Mounting on tubes with round diameter of 12 - 17 mm or with a screw of 8 - 10 mm diameter
- Screws included
- Plastic bracket for mounting with rubber inlays for best hold
- Very quick mounting

Ref. No.	4003318	Weight g	Box Qty	RRP incl. VAT €
SH59	23763 8	420	2	29,95

BRACKET SH58



TECHNICAL DATA

- Transport of U-shackle lock Granit Power 58
- Mounting on tubes with round diameter of 12 - 17 mm or with a screw of 8 - 10 mm diameter
- Screws included
- Metal bracket for mounting with rubber inlays for best hold
- Very quick mounting

Ref. No.	4003318	Weight g	Box Qty	RRP incl. VAT €
SH58	05810 3	400	3	34,95

BRACKET SH68/69



TECHNICAL DATA

- Transport of brake disc locks Granit Victory 68
- Mounting on tubes with round (two tubes needed) diameter of 12 - 28 mm or square diameter of 12 - 18 mm
- Two sets of screws with different lengths included
- Metal bracket for mounting with rubber inlays for best hold and rattle free transport of the lock
- Very quick mounting

Ref. No.	4003318	Weight g	Box Qty	RRP incl. VAT €
SH68/69	33581 5	280	1	19,95

BRACKET SH37



TECHNICAL DATA

- Bracket for brake disc lock 37/60HB70 (00903 7)
- Transport of brake disc lock 37/60HB70
- Metal bracket for mounting with rubber inlays for best hold and rattle free transport of the lock
- Very quick mounting

Ref. No.		Weight g	Box Qty	RRP incl. VAT €
SH37	4003318 12372 6	360	1	27,95

BRACKET SH77



TECHNICAL DATA

- Transport of brake disc lock Granit Sledg 77
- Mounting on tubes with round (two tubes needed) diameter of 12 - 28 mm or square diameter of 12 - 18 mm
- Two sets of screws with different lengths included
- Plastic bracket with metal clamp for mounting and rubber inlays
- Very quick mounting

Ref. No.		Weight g	Box Qty	RRP incl. VAT €
SH77	4003318 54648 8	300	6	24,95

ST1010






TECHNICAL DATA

- Robust multi use bag made of nylon with handle
- Practical for transporting chain locks, tools and small parts




Ref. No.	EAN	Weight g	Box Qty	RRP incl. VAT €
ST 1010	4003318 23207 7	172	1	15,95

Lock- vehicle type-combination table




U-Shackle Locks

Our recommendation				
GRANIT Extreme 59	P. 16	X	X	
GRANIT Power 58	P. 17	X	X	
GRANIT Super Extreme 2500	P. 18	X	X	
770A SmartX	-	X	X	
GRANIT XPlus 540	P. 19	X	X	




Alarm Brake Disc Locks

Our recommendation				
GRANIT Detecto XPlus 8008 2.0	P. 42	X	X	
GRANIT Detecto SmartX 8078 2.0	P. 43	X	X	
GRANIT Detecto XPlus 8077	P. 44	X	X	
Detecto 7000 RS1	P. 45	X	X	
277A	P. 46	X	X	
275A	P. 47	X	X	




Lock-Chain Combinations

Our recommendation				
GRANIT Extreme Plus 59	P. 22	X	X	X
GRANIT Power Chain 37 14KS Black Loop	P. 23	X	X	X
GRANIT Detecto XPlus 8008 12KS Black Loop	P. 24	X	X	
GRANIT Detecto XPlus 8077 yellow 12KS Black Loop	P. 25	X	X	
GRANIT 58 12KS Black Loop	P. 26	X	X	X
GRANIT 68 Victory 12KS Black Loop	P. 27	X	X	
1190 2.0	P. 28	X	X	X
GRANIT Power XS 67 12KS Black Loop	P. 29	X	X	X
GRANIT Power XS 67 10KS Black Loop	P. 30	X	X	X
GRANIT CityChain XPlus 1060	P. 31	X	X	X
Ivy Chain 9210	P. 32	X	X	X
CityChain 1010	P. 33	X	X	X
9809K	P. 34	X	X	X
9808K	P. 34		X	
Iven 8210	P. 35		X	

Brake Disc Locks

Our recommendation				
GRANIT Sledg 77	P. 50	X	X	
GRANIT Victory XPlus 68	P. 51	X	X	
GRANIT Quick 37/60 Maxi + Mini	P. 52	X	X	X
GRANIT Quick 37/60	P. 53	X	X	X
GRANIT Power XS 67	P. 54	X	X	X
39	P. 55		X	
405	P. 56	X	X	
277	P. 57	X	X	
275	P. 58	X	X	
304	P. 59		X	
303	P. 60		X	

Steel-0-Flex Locks

Our recommendation				
Steel-0-Flex 950	P. 38	X	X	
Steel-0-Flex Iven 8200	P. 39		X	

General Terms and Conditions

1. General

- 1.1 For all business relations between the customer and us the following terms and conditions apply unless otherwise agreed explicitly in writing.
- 1.2 Our offers are non-binding and only take effect with our written order confirmation or if we have arranged delivery of the ordered goods. The acknowledgement of receipt of an order does not constitute a legally binding acceptance of an offer. Drawings, illustrations, measurements, weights or other kinds of performance data are only binding if this is expressly agreed in writing. Commercial deviations and deviations caused by legal regulations or technical innovations, as well as replacement of parts by equal parts are acceptable as long as they do not adversely affect the usability of the contractual intended purpose.

2. Delivery

- 2.1 The delivery time is only agreed as approximate. It begins on the day on which the order confirmation is sent and is deemed to have been met if the goods have left our factory at the agreed time or, if it is not possible to send the order, the customer has been informed of the readiness for dispatch. In the event of delay an appropriate grace period must be set. Partial deliveries are allowed to a reasonable extent.
- 2.2 If we are prevented from fulfilling our delivery obligation by the occurrence of unforeseen or exceptional events that we were not able to avert despite due diligence in accordance with the circumstances of the individual case, e.g. official interventions, operating faults, force majeure, epidemics, global pandemics with impact on the supply chain, delay in the delivery of raw materials, etc. the delivery time shall be extended to a reasonable extent. If the delivery or service is not possible due to the above-mentioned events we will be released from our delivery obligation without the customer being able to cancel their contract or claim damages.
- 2.3 Unless otherwise expressly agreed, we shall deliver "Ex Works" (Incoterms® 2020). If delivery "Ex Works" (Incoterms® 2020) is agreed the risk will pass to the customer as soon as the consignment has been handed over to the person handling the transport or has left our warehouse for dispatch.

3. Pricing

- 3.1 Unless otherwise expressly agreed our prices are net Ex Works (Wetter /Ruhr) and include packaging and dispatch.
- 3.2 In the case of a third-party delivery for which the customer has agreed the direct delivery of the goods they have ordered to their customer we charge additional EUR 14.90 net per delivery within Germany, EUR 19.90 net per delivery within the EU.
- 3.3 Minor and minimal orders will be charged for at a proportion of costs from the current pricelist.
- 3.4 Orders for which fixed prices have not been expressly agreed will be charged in accordance with the prices valid on the day of delivery.
- 3.5 The prices of purchased items are quoted plus VAT. Changes to the rate of VAT entitle both parties to adjust their prices accordingly.
- 3.6 In the case of fixed prices agreed within the context of longer-term contracts, should a significant change of price factors occur, e.g. the price of raw materials, wages and salaries, the underlying exchange rate, etc. we can change the price accordingly.

4. Payment conditions

- 4.1 Our invoices are payable within 30 days net. If the customer concluded a SEPA Direct Debit agreement with us we grant a 2% discount for invoices covered by it.
- 4.2 No discount may be claimed if there are outstanding invoices to be paid. If an invoice paid with a credit note was calculated with a discount, we are entitled to deduct an appropriate discount deduction from the value of the credit note.
- 4.3 The customer is obliged to check our invoice immediately after receipt. The customer must raise any objections in writing to us within six weeks of receiving the invoice. The invoice will be deemed to be accepted after this period has elapsed.
- 4.4 If the credit term is exceeded we are entitled to charge default interest pursuant to Section 288 German Civil Code (BGB).
- 4.5 We are entitled to offset payments of the customer against their older debts first and will inform the customer about the nature of the offsetting. If costs and interest have already accrued, we will be entitled to offset payments against the costs first, then against the interest and finally against the main service.
- 4.6 A payment will only be deemed as having been made once we have access to the amount. In the case of cheques, payment is only deemed to have been made once the cheque has cleared. Bills of exchange will only be accepted on account of payment by arrangement and under the condition that they can be discounted. Discount charges will be calculated from the due date of the invoiced amount. Discount deductions are excluded.
- 4.7 If, after conclusion of the contract, a significant risk arises in respect of payments due to us, we will be entitled to demand a prepayment or security and to refuse the delivery until our requirements have been met.
- 4.8 Offset and retention rights are only available to the customer if their counter-claims have been legally established, are undisputed or have been recognised by us. The customer can only claim a retention right on the basis of counter-claims arising from the same delivery/service.

5. Return of goods

- 5.1 Returns of goods are only possible if they have been expressly agreed on a case-by-case basis. Goods must be returned in their original packaging and be free from freight charges.
- 5.2 For all goods returned we charge a flat-rate processing fee of 20% of the customer's product purchase price. If the cost of processing is higher, this will be invoiced separately.
- 5.3 Custom-made products as well as faulty or damaged goods are categorically excluded from returns. This also applies to products that we no longer have or have in a modified form in our range.

6. Reservation of title

- 6.1 The goods remain our property until all claims arising from the business relationship have been paid. The inclusion of individual claims in a current invoice as well as the balancing and its recognition shall not affect the reservation of title.

- 6.2 The customer is entitled to resell the goods delivered by us in the proper course of business as long as they fulfil their obligations arising from the business relationship. The customer may, however, neither pledge the reserved goods nor assign them as security. The customer is bound to secure our rights on resale of the reserved goods on credit.
- 6.3 The customer is obliged to handle the item with care; in particular they are obliged, at their own cost, to adequately insure it against fire, water damage and theft at their original value. Provided that maintenance and inspection work is required, the customer must carry this out promptly and at their own expense.
- 6.4 We are entitled at any time to request the surrender of reserved goods if the customer is in default of payment.
- 6.5 If the customer sells the reserved goods on credit, and thereby assigns to us the claims resulting from this resale of the goods, we shall accept this assignment. The client is entitled to collect claims as long as they fulfil their obligations towards us. The client is entitled, at our request, to name the third-party debtors and notify them of the assignment.
- 6.6 We undertake to release the securities, in accordance with the aforementioned provisions, at our choice at the customer's request insofar as their value exceeds the claims to be secured by 20%.
- 6.7 The customer must inform us immediately about any third-party enforcement measures against the reserved goods or any claims assigned to us or other securities and indeed hand over any documents necessary for an intervention.

7. Warranty and liability

- 7.1 Obvious defects must be notified in writing immediately after receipt of delivery, hidden defects must be notified in writing immediately after their discovery.
- 7.2 In the case of defectiveness of the purchased item we have first the right to rectification whereby we can refuse the rectification alternative chosen by the customer under the requirements of Section 439 para. 3 of the German Civil Code (BGB). If we refuse both types of rectification in accordance with Section 439 para. 3 of the BGB or insofar as the rectification failed or is not acceptable to the customer, the customer is entitled to further claims for damages in place of rectification and withdrawal. A rectification is deemed to have failed after the second unsuccessful attempt unless, in particular, the nature of the item or the defect or other circumstances indicate otherwise. Any claim for damages made by the customer in place of performance is, in the case of negligent breach of duty by us or our vicarious agents, limited to foreseeable damage typical of the contract.
- 7.3 No warranty is assumed for damage caused by inappropriate or improper use, defective assembly or commissioning by the customer or a third party, natural wear and tear or negligent handling or maintenance, unsuitable operating equipment or replacement materials, defective fitting, chemical, electro-chemical or electrical influences or other influences, (e.g. water, frost, heat). Our warranty obligations also do not apply, if on the part of the customer or a third party, repairs, damage or changes are undertaken without our consent that have a causal connection with the defect being claimed for.
- 7.4 The warranty is valid for one year from the date of delivery of the item purchased.
- 7.5 Our technical advice, both orally and in writing and proposals, calculations, project plans, etc. should outline only the best possible use of our products to the customer. This does not release the customer from their obligation to examine the products themselves in order to ensure that they are satisfied with their suitability for their intended purpose.
- 7.6 Complaints of any kind can only be taken into consideration if they are communicated in writing within 10 days of receipt of the shipment. In the case of defects that are not immediately obvious, they must be communicated in writing immediately after they have been identified, within six months after receipt at the latest. In the case of delayed notification of defects all warranty claims are excluded.
- 7.7 Unless otherwise expressly agreed, compensation claims from the customer against us for whatever legal reason, in particular due to the violation of contractual obligations and unlawful acts are excluded. This shall not apply in cases of intent, gross negligence (of owners, legal representatives or senior employees) or fraudulent intent and in the case of liability according to the German Product Liability Act or due to culpable injury to life, body or health or due to culpable violation of essential contractual obligations. Provided that none of the other above-mentioned cases exists, the claim for damages for the violation of essential contractual obligations is, however, limited to foreseeable damages typical of the contract.

8. Property rights

- 8.1 The proposals, offers, illustrations, drawings, calculations and other documents produced by us in any form are our intellectual property and are therefore to be treated as confidential. You may only bring these to the attention of a third party with our consent.
- 8.2 The operating materials manufactured by us for the production of the contractual objects on behalf of the customer, in particular tools, devices, documents, etc. remain our property even if the contractual relationship comes to an end and will only be delivered to the customer after the contract has been terminated if they were invoiced separately.
- 8.3 The customer is solely liable if, by the execution of his order, rights, in particular industrial property rights of a third party, are violated.

9. Place of execution and court of jurisdiction

- 9.1 If one or more terms of these terms and conditions of purchase proves wholly or partly invalid or incomplete, this shall not affect the validity of the remaining terms. The contracting parties shall make every effort to replace the invalid term with one with the same economic intent. The same applies in the event of a loophole.
- 9.2 The business relationship with the customer shall be governed exclusively by the law of the Federal Republic of Germany to the exclusion of the United Nations Treaty on the International Sale of Goods (CISG), dated 11 April 1980.
- 9.3 The place of execution for all obligations arising from the contractual relationship is Wetter / Ruhr, Germany.
- 9.4 ABUS and the customer shall first attempt to resolve all disputes arising from or in relation to the contractual relationship between them out of court. If an out-of-court solution is not possible, Wetter / Ruhr shall be the exclusive place of jurisdiction. ABUS reserves the right to sue the customer at its registered place of business.

We do not undertake any liability for modifications in technology, changes in colour and errors. ABUS 10/2023

VAT ID: DE 126881051
RRP (Status 10/2021)

*RRP= recommended retail price incl. the current valid sales tax



Security Tech Germany

ABUS | August Bremicker Söhne KG
www.abus.com

Altenhofer Weg 25
58300 Wetter
info@abus.de
+49 23 35 634-0

Due to a policy of continual development, ABUS reserves the right to modify technical details & colours. © ABUS 2023

